

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau




INTERNATIONAL APPLICATION PUBLISH	HED U	INDER THE PATENT COOPERATION TREATY (PCT)
(51) International Patent Classification ⁶ :		(11) International Publication Number: WO 98/51249
A61F 13/15	A1	(43) International Publication Date: 19 November 1998 (19.11.98)
(21) International Application Number: PCT/NL (22) International Filing Date: 15 May 1998 ((30) Priority Data: 1006065 15 May 1997 (15.05.97) (71)(72) Applicant and Inventor: VAN DER MEULER Renata [NL/FR]; 6, boulevard du Plan des F-06230 Saint Jean Cap Ferrat (FR). (74) Agents: DE BRUIN, Leendert, C. et al.; Ne Octrooibureau, Scheveningseweg 82, P.O. Be NL-2502 LS The Hague (NL).	(15.05.9 N, Sand Abeill	BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, IP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

(54) Title: SANITARY NAPKIN FOR TANGASLIP

(57) Abstract

A panty liner comprises a layer of hygienic material which is formed according to a central part having at two opposite ends in each case an end part, at least one end part of which is widened. The other end part is of approximately the same width as the central part, so that the panty liner is suitable for use in so-called thong briefs. The central part and the other end part can form a strip with parallel longitudinal edges.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Larvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	1E	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland .	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
СН	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		ZIIII ZZOWE
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
cυ	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		
1							

WO 98/51249 PCT/NL98/00275

SANITARY NAPKIN FOR TANGASLIP

30

The invention relates to the field of panty liners. A panty liner is a hygienic product which is worn by women with a discharge. The conventional panty liners all have virtually the same standard shape, with a central area which widens out at both ends.

In general, these products are satisfactory, but in certain cases wearing them gives rise to problems. For instance, it is not readily possible to wear the known panty liners combined with so-called thong briefs. Thong briefs are of very low width, with the result that the panty liner projects at the sides, which is uncomfortable.

The object of the invention is therefore to provide a panty liner which is better suited for combining with thong briefs. That object is achieved by means of a panty liner comprising a layer of hygienic material which is formed according to a central part having at two opposite ends in each case an end part, at least one end part of which is widened, while the other end part is of approximately the same width as the central part.

The panty liner according to the invention is worn with the widened part facing forward. The now narrower rear end is better suited to the dimensions of the thong briefs at the position of the crotch, so that wearing of the party liner is considerably more comfortable.

The panty liner can be designed in various ways within the limits described above. However, an embodiment in which the central part and said other end part form a strip with parallel longitudinal edges is preferred. The mutual length dimensions of the strip and the widened end part can vary; the strip can even be of about the same length as the widened end part.

Moreover, the widened end part can be bounded by straight longitudinal edges which diverge from the central part.

As in the case of the known panty liners, a band of adhesive can extend over both end parts and the central part, which band is covered by a removable film. The band of adhesive and the film can be of the same width as the strip formed by the central part and the other end part.

5

15

20

25

An exemplary embodiment of the panty liner according to the invention will be described in greater detail below with reference to the figures.

Figure 1 shows a panty liner according to the invention in perspective, with partially removed film.

Figure 2 shows a top view.

Figure 3 shows a person with thong briefs.

Figure 4 shows a view of the top side of the thong briefs, with the panty liner.

The panty liner shown in Figures 1 and 2 comprises a central part 1, and an end part 2 which is of approximately the same width. There is also an end part 3 which is widened relative to the central part 1 and the end part 2. The central part 1 and the end part 2 of approximately the same width form a strip 4, the longitudinal edges 5 of which run approximately parallel. The widened end part is likewise bounded by straight edges 6 which diverge.

As shown in Figure 1, a band of adhesive material 7, on which a film 8 is removably provided, can be fitted. The film 8 is of exactly the same shape as the panty liner, in such a way that the latter is fully covered.

In use, the panty liner is worn as shown with reference to Figures 3 and 4. The thong briefs 9 shown there are shown partially in top view in Figure 4. The front side of the thong briefs is indicated by reference number 10, the rear side by 11.


The widened part 3 of the panty liner is worn at the front side of the thong briefs 10. The strip 4, which comprises the central part 1 and the end part 2, is of approximately the same width as the crotch part 12 of the thong briefs 9, in such a way that the panty liner does not project, and wearing it is comfortable.


The following measurements are mentioned as a non-limiting example. The central part 1 and the end part can be 25 mm to 30 mm wide; the widened end part 3 can be 45 mm to 52 mm wide.


3


<u>Claims</u>

- 1. Panty liner, comprising a layer of hygienic material which is formed according to a central part (1) having at two opposite ends in each case an end part (2, 3), at least one end part (3) of which is widened, characterized in that the other end part (2) is of approximately the same width as the central part (1).
- 2. Panty liner according to Claim 1, in which the central part (1) and said other end part (2) form a strip (4) with parallel longitudinal edges (5).
- 3. Panty liner according to Claim 1 or 2, in which the widened end part (3) is bounded by straight longitudinal edges (6) which diverge from the central part (1).
 - 4. Panty liner according to Claim 1, 2 or 3, in which a band of adhesive (7) extends over both end parts (2, 3) and the central part (1), which band is covered by a removable film (8).
- 5. Panty liner according to Claims 2 and 4, in which the band of adhesive (7) and the film (8) are of at least the same width as the strip (4) formed by the central part (1) and the other end part (2).
 - 6. Panty liner according to one of the preceding claims, in which the width of the widened end part (3) lies between 45 and 55 mm.
- 7. Panty liner according to one of the preceding claims, in which the width of the central part (1) lies between 25 and 30 mm.









INTERNATIONAL SEARCH REPORT

Int tional Application No PCT/NL 98/00275

A CLASS	EICATION OF CUIP IFOT MATTER	1017 NE 307 00275
IPC 6	FICATION OF SUBJECT MATTER A61F13/15	-
1		
According to	International Patent Classification (IPC) or to both national classification and IPC	
	SEARCHED	
Minimum do	ocumentation searched (classification system followed by classification symbols)	
IPC 6	A61F	
Documentat	tion searched other than minimum documentation to the extent that such documents a	are included in the fields searched
Electronic d	ata base consulted during the international search (name of data base and, where p	ractical, search terms used)
		33334
		•
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT	
Category *		
Juliogo, y	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
x	EP 2 604 107 A (CONFORT CONTEST A T	
^	FR 2 694 187 A (COUEPEL SYLVIE) 4 Februar 1994	TY . 1-7
	see the whole document	
X	US 3 441 025 A (RALPH HAROLD J) 29 April	1-3
	1969	
	see column 2, line 33 - column 4, line 37	7;
	figures	n ·
l x	DE 87 05 429 U (WIEDEMEYER) 27 May 1987	1017
"	see the whole document	1,2,4-7
X	US 5 127 911 A (BAHARAV EVA) 7 July 1992	1,2,4-7
	see column 6, line 45 - column 8, line 51	l;
	figures	
į	-/	
1	,	
		·
į		1
Y Furt	ner documents are listed in the continuation of box C.	
		I family members are listed in annex.
* Special ca	tegories of cited documents : "T" later docum	ment published after the international filling date
"A" docume	PIT CATINITO the concret state of the art which is not	date and not in conflict with the application but nderstand the principle or theory underlying the
"E" eartier o	forument but published on or after the international	
"L" docume	ate document of carment of carmen	of particular relevance; the claimed invention e considered novel or cannot be considered to
f Much	is cited to establish the publication date of another or other special reason (or specified) "Y" document of	of particular relevance: the document is taken alone
"O" docume	ant referring to an oral disclosure, use, exhibition or document	t is combined with one or more other such door.
"P" docume	ant published prior to the international filing date but in the art.	ich combination being obvious to a person skilled
later tr	nan the priority date claimed "&" document	member of the same patent family
Date of the	actual completion of the international search Date of ma	ailing of the international search report
1	0.4	
	0 August 1998 27/	/08/1998
Name and r	nailing address of the ISA Authorized	d officer
1	European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk	
	Tel. (+31-70) 340-2040. Tx: 31 651 end pl	uskas, K
Form OCTAS:		
rom PC1/ISA/2	210 (second sheet) (July 1992)	

INTERNATIONAL SEARCH REPORT

Int. ional Application No PCT/NL 98/00275

(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	FC1/NL 98/002/5			
ategory °	Citation of document, with indication, where appropriate, of the relevant passages		Relevant to claim No.		
(US 5 383 868 A (HYUN KWANG H) 24 January 1995 see the whole document		1-7		
•			•		
			,		
			,		
		•			
			·		
			·		
			Ÿ.		
			·		
	·				

1

INTERNATIONAL SEARCH REPORT

Information on patent family members

PCT/NL 98/00275

			1C1/NL 98/002/5		
Patent document cited in search report		Publication date	Patent family member(s)	Publication date	
FR 2694187	Α	04-02-1994	NONE		
US 3441025	Α	29-04-1969	US RE28483 E	15-07-1975	
DE 8705429	U	27-05-1987	NONE ·		
US 5127911	A	07-07-1992	NONE		
US 5383868	A	24-01-1995	NONE		